

Vehicle History Report

VEHICLE DETAILS

Chassis number ¹ :	ECR33-061859
Manufacture date:	1995-09
Make:	NISSAN
Model:	SKYLINE
Body:	E-ECR33
Grade:	GTS25T TYPE M
Engine:	RB25DET
Drive:	2WD
Transmission:	F5

Title information ² :	NO.	Deregistered to Export	•
Accident / Repair:	ĭ ⊋	Problem found	×
Odometer rollback:		No problem	•
Manufacturer recall:	Ø	No problem	•
Safety grade ³ :	8	No data	•
Contamination risk:		No problem	•

This vehicle does not qualify for Buyback Guarantee

Average Market Price



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.



¥2,100,000

About Buyback Guarantee

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2021-07-11 04:31:26. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Reported				
_	_	2016-03-31	TAA Kantou	Repaired	OK
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2012-08-31	MLIT	6200
2014-09-22	MLIT	10800
2016-03-31	TAA Kantou	68179

USE HISTORY

Use in the contaminated regions ⁴ Radioactive contamination test fail ⁵ Commercial use

○ Not reported ○ Not reported ○ Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
1995-09			NISSAN	Manufactured
1995-09			MLIT	First registration
2012-08-31		6200	MLIT	Inspection
2014-09-22	Yokohama	10800	MLIT	Inspection

2016-03-31 Yokohama MLIT Last registration
2016-03-31 Chiba 68179 TAA Kantou Auctioned

MANUFACTURER RECALL HISTORY

Date reported Data source Affected part Details

Not reported

VEHICLE ASSESSMENT 5

Overall Collision Safety Ratings

Driver's seat		Front passenger's seat			
Points	Evaluation	Goal average	Points	Evaluation	Goal average
0		0%	0		0%

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷

Dry road



Wet road

VEHICLE SPECIFICATION


1st gear ratio	2nd gear ratio
3rd gear ratio	4th gear ratio
5th gear ratio	6th gear ratio
Additional notes	Airbag position, capacity
Body rear overhang	Body type COUPE

Chassis number embossing position		Classification code	122
Cylinders	6	Displacement	2490
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	250ps(184kW)/6400rpm	Engine maximum torque	30.0kg· m(294.2N· m)/4800rpm
Engine model	RB25	Frame type	
Front shaft weight	780	Front shock absorber type	Independent suspension multi-link type
Front stabilizer type		Front tires size	205/55R16 89V
Front tread	1480	Fuel consumption	
Fuel tank equipment	65	Grade	GTS25T TYPE M
Height	134	Length	464
Main brakes type		Make	NISSAN
Main brakes type Maximum speed		Make Minimum ground clearance	NISSAN
		Minimum ground	NISSAN
Maximum speed	E-ECR33	Minimum ground clearance	
Maximum speed Minimum turning radius	E-ECR33 590	Minimum ground clearance	
Maximum speed Minimum turning radius Model code		Minimum ground clearance Model Mufflers number Rear shock absorber	SKYLINE Independent suspension
Maximum speed Minimum turning radius Model code Rear shaft weight		Minimum ground clearance Model Mufflers number Rear shock absorber type	SKYLINE Independent suspension multi-link type
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type	590	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size	SKYLINE Independent suspension multi-link type
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread	590 1470	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio	SKYLINE Independent suspension multi-link type
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity	590 1470 5	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type	SKYLINE Independent suspension multi-link type
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity Specification code	590 1470 5 7396	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type Stopping distance	SKYLINE Independent suspension multi-link type 205/55R16 89V

Date: 2016-03-31, Auction: TAA Kantou, Lot #: 7098

Date:	2016-03-31	Lot #:	7098
Auction name:	TAA Kantou	Region:	Chiba
Make:	NISSAN	Model:	SKYLINE
Reg. year:	1995	Mileage (km):	68179
Displacement (cc):	2500	Transmission:	F5
Color:	DARK BLUE	Model code:	ECR33
Result:	sold	Auction grade:	R
Problem type:	Collision	Problem scale:	Repaired
Contaminated:	No	Airbag:	ОК


PHOTOS AND AUCTION SHEETS



A:4ス゚ U:4コミ B:4ス゚を伴うヘコミ P:要塗装 W:補修跡 S:舗 C:腐食 G:フロットがラス点キス゚ XX:交換済み X:要交換 内・外装評価 5段階ラック順(A・B・C・D・E) 1







GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2021 Car VX Limited. All rights reserved.