

Vehicle History Report

VEHICLE DETAILS

Chassis number 1: NA6CE-140698

Manufacture date: 1991-02

Make: **EUNOS**

Model: **ROADSTER**

E-NA6CE Body:

Grade: **V SPECIAL**

Engine: B6

Drive: 2WD

Transmission: AΤ Title information ²:

Deregistered to **Export**

Accident / Repair:

Problem found

Odometer rollback:

No problem

Manufacturer recall:



No problem

Safety grade ³:



No data

Contamination risk:



Problem found

This vehicle does not qualify for Buyback Guarantee

Average Market Price



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.



¥300,000

About Buyback Guarantee

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2021-12-24 02:40:29. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Reported				
_	_	2021-11-11	USS Tokyo	Repaired	OK
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2018-04-02	MLIT	79500
2020-04-02	MLIT	79800
2021-11-11	USS Tokyo	79993

USE HISTORY

Use in the contaminated regions ⁴ Radioactive contamination test fail ⁵ Commercial use

X Reported

Not reported

Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
1991-02			EUNOS	Manufactured
1991-03			MLIT	First registration
2018-04-02		79500	MLIT	Inspection
2020-04-02	Sano	79800	MLIT	Inspection

2021-04-20 Sano MLIT Last registration
2021-11-11 Chiba 79993 USS Tokyo Auctioned

MANUFACTURER RECALL HISTORY

Date reported Data source Affected part Details

Not reported

VEHICLE ASSESSMENT 5

Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests 7

Dry road



Wet road

VEHICLE SPECIFICATION


1st gear ratio	2nd gear ratio	
3rd gear ratio	4th gear ratio	
5th gear ratio	6th gear ratio	
Additional notes	Airbag position, capacity	
Body rear overhang	Body type	OPEN

Chassis number embossing position		Classification code	53
Cylinders	4	Displacement	1590
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	110ps(81kW)/6000rpm	Engine maximum torque	14.0kg·m(137.3N· m)/4500rpm
Engine model	B6	Frame type	
Front shaft weight	520	Front shock absorber type	
Front stabilizer type		Front tires size	185/60R14 82H
Front tread	1405	Fuel consumption	
Fuel tank equipment	45	Grade	V SPECIAL
Height	123	Length	397
Martin In and the American			E11100
Main brakes type		Make	EUNOS
Maximum speed		Make Minimum ground clearance	EUNOS
	4.6m	Minimum ground	ROADSTER
Maximum speed	4.6m E-NA6CE	Minimum ground clearance	
Maximum speed Minimum turning radius		Minimum ground clearance	
Maximum speed Minimum turning radius Model code	E-NA6CE	Minimum ground clearance Model Mufflers number Rear shock absorber	
Maximum speed Minimum turning radius Model code Rear shaft weight	E-NA6CE	Minimum ground clearance Model Mufflers number Rear shock absorber type	ROADSTER
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type	E-NA6CE 460	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size	ROADSTER
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread	E-NA6CE 460 1420	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio	ROADSTER
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity	E-NA6CE 460 1420 2	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type	ROADSTER
Maximum speed Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity Specification code	E-NA6CE 460 1420 2 6199	Minimum ground clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type Stopping distance	ROADSTER 185/60R14 82H

Date: 2021-11-11, Auction: USS Tokyo, Lot #: 86510

Date:	2021-11-11	Lot #:	86510
Auction name:	USS Tokyo	Region:	Chiba
Make:	MAZDA	Model:	EUNOS ROADSTER
Reg. year:	1991	Mileage (km):	79993
Displacement (cc):	1600	Transmission:	AT
Color:	GREEN	Model code:	NA6CE
Result:	available	Auction grade:	R
Problem type:	Collision	Problem scale:	Repaired
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS









GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ **Use in the contaminated regions** The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochiqi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2021 Car VX Limited. All rights reserved.