

# **Vehicle History Report**

#### **VEHICLE DETAILS**

Chassis number 1: SW20-0095923

Manufacture date: 1994-06

Make: TOYOTA

Model: MR2

Body: E-SW20

Grade: GT

Engine: 3SGTE

**Drive:** MIDSHIP

Transmission: F5

Title information <sup>2</sup>:

NO.

Deregistered to

Export

Accident / Repair:

ĭ⊋

**Problem found** 

×

Odometer rollback:

No problem

Q

Manufacturer recall:



No problem

Q

Safety grade <sup>3</sup>:



No data

 $\bigcirc$ 

Contamination risk:



No problem

 $\bigcirc$ 

#### This vehicle does not qualify for Buyback Guarantee

**Average Market Price** 



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.



¥650,000

**About Buyback Guarantee** 

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2020-06-20 20:10:34. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

## **ACCIDENT / REPAIR HISTORY**

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Reported				
_	_	2014-04-11	KCAA Yamaguchi	Repaired	ОК
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

## **ODOMETER READINGS HISTORY**

Date reported	Data source	Odometer reading (Km)
2006-06-06	MLIT	82292
2014-04-11	KCAA Yamaguchi	109641
2016-07-06	MLIT	126200
2018-08-21	MLIT	146800
2019-09-26	USS Tokyo	153161

## **USE HISTORY**

Use in the contaminated regions <sup>4</sup>	Radioactive contamination test fail <sup>5</sup>	Commercial use
Not reported	Not reported	Not reported


## **DETAILED HISTORY**

Event date	Location	Odometer reading (Km)	Data source	Details
1994-06			TOYOTA	Manufactured
1994-06			MLIT	First registration

2006-06-06		82292	MLIT	Inspection
2014-04-11	Yamaguchi	109641	KCAA Yamaguchi	Auctioned
2016-07-06		126200	MLIT	Inspection
2018-08-21		146800	MLIT	Inspection
2019-09-17	Sano		MLIT	Last registration
2019-09-26	Chiba	153161	USS Tokyo	Auctioned

### **MANUFACTURER RECALL HISTORY**

Date reported Data Source Amosted part Details	Date reported	Data source	Affected part	Details
------------------------------------------------	---------------	-------------	---------------	---------



### **VEHICLE ASSESSMENT** 5

#### **Overall Collision Safety Ratings**

Driver's seat				Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average	

<sup>\*</sup> In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

## Braking performance tests <sup>7</sup>



Wet road

### **VEHICLE SPECIFICATION**

1st gear ratio	2nd gear ratio
3rd gear ratio	4th gear ratio

5th gear ratio		6th gear ratio	
Additional notes		Airbag position, capacity	
Body rear overhang		Body type	COUPE
Chassis number embossing position		Classification code	140
Cylinders	4	Displacement	1998cc
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	245ps(180kW)/6000rpm	Engine maximum torque	31.0kg·m(304.0N·m)/4000rpm
Engine model	3S	Frame type	
Front shaft weight	520	Front shock absorber type	
Front stabilizer type		Front tires size	195/55R15 84V
Front tread	1470	Fuel consumption	10.6km/l
Fuel tank equipment	54	Grade	GT
Height	123	Length	417
Main brakes type		Make	ТОУОТА
Maximum speed		Minimum ground clearance	
Minimum turning radius	4.9m	Model	MR2
Model code	E-SW20	Mufflers number	
Rear shaft weight	740	Rear shock absorber type	
Rear stabilizer type		Rear tires size	225/50R15 91V
Rear tread	1450	Reverse ratio	
Riding capacity	2	Side brakes type	
Specification code	6341	Stopping distance	
Transmission type	F5	Weight	1260
Wheel alignment	MIDSHIP	Wheelbase	2400

Width 169

## **AUCTION DATA**

Date: 2014-04-11, Auction: KCAA Yamaguchi, Lot #: 280

Date: 2014-04-11 Lot #: 280

Auction name: KCAA Yamaguchi Region: Yamaguchi

Make: TOYOTA Model: MR2

Reg. year: 1994 Mileage (km): 109641

Displacement (cc): 2000 Transmission: F5

Color: GREEN Model code: SW20

Result: unsold Auction grade: R

Problem type: Collision Problem scale: Repaired

Contaminated: No Airbag: OK

Date: 2019-09-26, Auction: USS Tokyo, Lot #: 10215

Date: 2019-09-26 Lot #: 10215

Auction name: <u>USS Tokyo</u> Region: Chiba

Make: TOYOTA Model: MR2

Reg. year: 1994 Mileage (km): 153161

Displacement (cc): 2000 Transmission: F5


Color: D GREEN Model code: SW20

Result: available Auction grade: 3.5

Problem type: No problem Problem scale: None

Contaminated: No Airbag: OK

### **PHOTOS AND AUCTION SHEETS**



車台番号

I

SW20-0095923


スペアタイヤ 有・無



PAT



## M Tコーナー









#### **GLOSSARY**

<sup>1</sup> Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

#### <sup>2</sup> Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

<sup>3</sup> Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- <sup>4</sup> Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- <sup>5</sup> Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- <sup>6</sup> Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- <sup>7</sup> Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2020 Car VX Limited. All rights reserved.