

# **Vehicle History Report**

### **VEHICLE DETAILS**

Chassis number 1: ECR33-007740 Manufacture date: 1993-09 Make: **NISSAN** Model: **SKYLINE** E-ECR33 Body: Grade: GTS25T TYPE M **Engine:** RB25DET Drive: 2WD Transmission: F5

Deregistered to Title information <sup>2</sup>: **Export Accident / Repair: Problem found** Odometer No problem rollback: Manufacturer No problem recall: No data Safety grade <sup>3</sup>: Contamination No problem risk:

### This vehicle does not qualify for Buyback Guarantee

**Average Market Price** 



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.



¥820,000

**About Buyback Guarantee** 

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2020-06-20 18:15:12. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

### **ACCIDENT / REPAIR HISTORY**

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Reported				
_	_	2019-10-17	USS Tokyo	Repaired	OK
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

### **ODOMETER READINGS HISTORY**

Date reported	Data source	Odometer reading (Km)
2014-06-05	MLIT	87800
2016-05-31	MLIT	101500
2019-10-17	USS Tokyo	104033

# **USE HISTORY**

Use in the contaminated regions <sup>4</sup> Radioactive contamination test fail <sup>5</sup> Commercial use

○ Not reported ○ Not reported ○ Not reported

## **DETAILED HISTORY**

Event date	Location	Odometer reading (Km)	Data source	Details
1993-09			NISSAN	Manufactured
1993-09			MLIT	First registration
2014-06-05		87800	MLIT	Inspection
2016-05-31		101500	MLIT	Inspection

2017-03-31 Kagawa MLIT Last registration
2019-10-17 Chiba 104033 USS Tokyo Auctioned

### **MANUFACTURER RECALL HISTORY**

Date reported Data source Affected part Details

Not reported

### **VEHICLE ASSESSMENT** 5

### **Overall Collision Safety Ratings**

Driver's seat		Front passenger's seat			
Points	Evaluation	Goal average	Points	Evaluation	Goal average

<sup>\*</sup> In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

### Braking performance tests 7

Dry road



Wet road

### **VEHICLE SPECIFICATION**


1st gear ratio	2nd gear ratio	
3rd gear ratio	4th gear ratio	
5th gear ratio	6th gear ratio	
Additional notes	Airbag position, capacity	
Body rear overhang	Body type	SEDAN

Chassis number embossing position		Classification code	81
Cylinders	6	Displacement	2498cc
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	250ps(184kW)/6400rpm	Engine maximum torque	30.0kg·m(294.2N·m)/4800rpm
Engine model	RB25	Frame type	
Front shaft weight	770	Front shock absorber type	
Front stabilizer type		Front tires size	205/55R16 89V
Front tread	1480	Fuel consumption	10.2km/L
Fuel tank equipment	65	Grade	GTS25T TYPE M
Height	136	Length	472
Main brakes type		Make	NISSAN
mam aranes type			
Maximum speed		Minimum ground clearance	
	5.2m	<del>-</del>	SKYLINE
Maximum speed	5.2m E-ECR33	clearance	SKYLINE
Maximum speed  Minimum turning radius		clearance Model	SKYLINE
Maximum speed  Minimum turning radius  Model code	E-ECR33	Model  Mufflers number  Rear shock absorber	SKYLINE 205/55R16 89V
Maximum speed  Minimum turning radius  Model code  Rear shaft weight	E-ECR33	clearance  Model  Mufflers number  Rear shock absorber type	
Maximum speed  Minimum turning radius  Model code  Rear shaft weight  Rear stabilizer type	E-ECR33 610	clearance  Model  Mufflers number  Rear shock absorber type  Rear tires size	
Maximum speed  Minimum turning radius  Model code  Rear shaft weight  Rear stabilizer type  Rear tread	E-ECR33 610 1470	clearance  Model  Mufflers number  Rear shock absorber type  Rear tires size  Reverse ratio	
Maximum speed  Minimum turning radius  Model code  Rear shaft weight  Rear stabilizer type  Rear tread  Riding capacity	E-ECR33 610 1470 5	Model  Mufflers number  Rear shock absorber type  Rear tires size  Reverse ratio  Side brakes type	
Maximum speed  Minimum turning radius  Model code  Rear shaft weight  Rear stabilizer type  Rear tread  Riding capacity  Specification code	E-ECR33 610 1470 5 7396	Clearance  Model  Mufflers number  Rear shock absorber type  Rear tires size  Reverse ratio  Side brakes type  Stopping distance	205/55R16 89V

Date: 2019-10-17, Auction: USS Tokyo, Lot #: 10204

Date:	2019-10-17	Lot #:	10204
Auction name:	<u>USS Tokyo</u>	Region:	Chiba
Make:	NISSAN	Model:	SKYLINE
Reg. year:	1993	Mileage (km):	104033
Displacement (cc):	2500	Transmission:	F5
Color:	SILVER	Model code:	ECR33
Result:	available	Auction grade:	R
Problem type:	Collision	Problem scale:	Repaired
Contaminated:	No	Airbag:	OK

### **PHOTOS AND AUCTION SHEETS**









### **GLOSSARY**

<sup>1</sup> Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

#### <sup>2</sup> Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

<sup>3</sup> Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- <sup>4</sup> **Use in the contaminated regions** The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochiqi.
- <sup>5</sup> Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- <sup>6</sup> Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- <sup>7</sup> Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2020 Car VX Limited. All rights reserved.